



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.iispto.gov

DATE MAILED: 04/23/2003

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/703,344	10/31/2000	Viktors Berstis	AUS9-1999-0268-US1	3069
7	590 04/23/2003			
Joseph R Burwell Law Offices of Joseph R Burwell PO Box 28022 Austin, TX 78755-8022			EXAMINER	
			LINDINGER, MICHAEL L	
Austin, IX /	8/33-8022		ART UNIT	, PAPER NUMBER
			2841	

Please find below and/or attached an Office communication concerning this application or proceeding.

		T A U A N -				
•	•	Application No.	Applicant(s)			
Offic Action Summary		09/703,344	BERSTIS ET AL.			
		Examiner	Art Unit			
		Michael L. Lindinger	2841			
Period fo	The MAILING DATE of this communication apports. The ply	pears on the cover sheet with the	e correspondence address			
THE I - Exter after - If the - If NO - Failu - Any r	ORTENED STATUTORY PERIOD FOR REPL MAILING DATE OF THIS COMMUNICATION. nsions of time may be available under the provisions of 37 CFR 1.1 SIX (6) MONTHS from the mailing date of this communication. period for reply specified above is less than thirty (30) days, a reply period for reply is specified above, the maximum statutory period re to reply within the set or extended period for reply will, by statute eply received by the Office later than three months after the mailing ad patent term adjustment. See 37 CFR 1.704(b).	I36(a). In no event, however, may a reply be by within the statutory minimum of thirty (30) owill apply and will expire SIX (6) MONTHS from the cause the application to become ABANDO	timely filed days will be considered timely. om the mailing date of this communication. NED (35 U.S.C. § 133).			
1)	Responsive to communication(s) filed on					
2a)⊠		nis action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Dispositi	on of Claims	•				
	Claim(s) $\underline{1-50}$ is/are pending in the application					
	4a) Of the above claim(s) is/are withdrawn from consideration.					
5)⊠	5)⊠ Claim(s) <u>36-45</u> is/are allowed.					
6)□	6) Claim(s) <u>1-29,31-34 and 46-50</u> is/are rejected.					
7)🖂	Claim(s) <u>30 and 35</u> is/are objected to.					
	Claim(s) are subject to restriction and/o	or election requirement.				
· · ·	on Papers					
· —	The specification is objected to by the Examine					
10)	The drawing(s) filed on is/are: a) ☐ acce	•				
11)[]	Applicant may not request that any objection to the		• •			
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner. If approved, corrected drawings are required in reply to this Office action.						
12) The oath or declaration is objected to by the Examiner.						
Priority under 35 U.S.C. §§ 119 and 120						
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. ☐ Certified copies of the priority documents have been received.						
	2. Certified copies of the priority documents have been received in Application No					
	Copies of the certified copies of the prior application from the International Bu	rity documents have been recei				
* 8	See the attached detailed Office action for a list		ved.			
14) 🗌 A	14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).					
a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.						
Attachmen	-	30				
2) Notic	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO-1449) Paper No(s) _	5) Notice of Informa	ary (PTO-413) Paper No(s) al Patent Application (PTO-152)			

U.S. Patent and Trademark Office PTO-326 (Rev. 04-01)

DETAILED ACTION

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970);and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

1. Claim 1 is provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over Claim 1 of copending Application No. 09/703,340. Although the conflicting claims are not identical, they are not patentably distinct from each other because discloses a time cell, which experiences a transition of states after a programming (charging) operation, detections means for detecting a value within a charge storage element, which is located within the time cell. An explicit obviousness statement is not necessary when the Claims are worded almost identically to one another.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Art Unit: 2841

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

1. Claims 1-17, 22-34, and 46-50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakaki U.S. Patent No. 5,500,834 in view of Feddeler U.S. Patent No. 5,323,066 in further view of the Admitted Prior Art. Regarding Claims 1-2, 22-27, 46-47, and 49-50, Sakaki teaches a horological device for measuring the time lapse after a turn off of a power source, wherein a capacitor is charged when power supplied to the system is turned on, wherein the capacitor is discharged when the power is disconnected, wherein the voltage of the capacitor is read (by reading/coupling means) and recorded by a processor, which then interprets and converts information appropriately when the power is turned, wherein the capacitor's value is also read and recorded when the power is turned off, wherein a corresponding time lapse is recorded. wherein inherently this teaches a time detection unit for processing a time request to generate a time response after reading the capacitor's value, thereby measuring the electrostatic charge of the capacitor, wherein the above mentioned elements combine to form claimed time cell, wherein the capacitor (Col. 1, lines 10+; Col. 2, lines 25+; Col. 3, lines 1+; Col. 4, lines 5+; FIG. 1). Sakaki does not teach a horological device

comprising a floating gate in a floating gate field effect transistor (FGFET), explicit time determining means, or the length of a predetermined time period varies with an initial condition of the time cell after the charging operation, wherein the initial condition is determined by an initial electrical potential of the charge storage element. Feddeler teaches a data acquisition means that comprising a capacitor that is replaced with a floating gate in a floating gate field effect transistor (FGFET) (Col. 4, lines 12+; FIG. 5). Neither Sakaki nor Feddeler explicitly teach the electrical components claimed. The Admitted Prior Art teaches a device comprising all of the structural features shown in FIGURE 1A: a semiconductor substrate 102, a source region 104, a drain region 106, a channel region 122 between the source region and the drain region, a control gate 116, a floating gate 118 between the control gate and the channel region, wherein the floating gate behaves as a charge stored element in a floating gate field effect transistor (FGFET), wherein an internal medium is provided within the charged storage element to receive programming operations, hereafter referred as charging operations, an insulating medium 120 surrounding the internal medium, wherein the insulating medium has a tunneling region for discharging an electrostatic charge, wherein said insulating medium has physical properties which affect the rate of discharge in a discharge process, wherein one of these physical properties is the thickness of the insulating medium. The discharge process is a non-linear Fowler-Nordheim tunneling process and the charging process is a channel hot electron injection process, which comprising a charge injector for injecting said charge into charge storage element, further comprises a programming unit, hereto referred to as a charging unit for charging the charge

Art Unit: 2841

storage element. It would have been obvious to a person skilled in the art at the time of the invention to not only adapt the Sakaki reference and include a floating gate in a floating gate field effect transistor (FGFET) in place of a capacitor in order to further insulate the charge element that is being charged and discharged, but to recognize that any capacitive timing device must inherently possesses the structure and means to read and interpret data as to whether or not a predetermined time period has elapsed in order to verify the time at which to charge the time cell again, as well as to recognize the length of the predetermined time period may be altered by varying the insulating medium after the charging operation, wherein by altering this thickness, initial electrical potential of the charge storage element is directly impacted, and to further recognize that by including the structural features of the Admitted Prior Art, the rate of electrostatic discharge may controlled more easily. Sakaki teaches all of the necessary structure, the methods of charging a charge storage element within controlling electrostatic discharge during and after discharging and charging states of a time cell in order to gain measurement of the elapsed time of the system and the corresponding charging and read operation steps needed to initialize and process the information of the apparatus are inherently possessed within said structure.

Regarding Claims 3-5, the combination of the Sakaki and Feddeler references coupled with the Admitted Prior Art as explained above teaches a time cell, which has the ability of a conventional RC timer to measure electrostatic discharge in order to measure elapsed time. The combination does not explicitly teach an array of time cells, or the

time periods of the time cells in the array of time cell. It would have been obvious to a person skilled in the art at the time of the invention to provide an array of time cells comprising individual time periods whose values maybe the same or different, since it has been held that the mere duplication of parts for a multiplied effect, in the instant an array of time cells for various time measurements, is an obvious improvement (<u>In re Harza</u>, 274 F.2d 669, 671, 124 USPQ 378, 380 (CCPA 1960)).

Regarding Claims 6-7 and 28-29, the combination of the Sakaki, Feddeler references coupled with the Admitted Prior Art as explained above teaches a time cell, which has the ability of a conventional RC timer to measure electrostatic discharge in order to measure elapsed time. The combination does not explicitly comprise a time cell interface unit, programming request unit, or a status-generating unit for initializing or setting one or more time cells, as well as generating status from the time cells. It would have been obvious to a person skilled in the art at the time of the invention to recognize that any capacitive timing device must inherently possesses the structure and means to charge/discharge time cells, as well as the ability to determine during the charging process whether the cells were successfully charged or not. By including a time cell interface unit and a programming request unit, existing initialization structure of a typical RC timer is applied to the specific invention.

Regarding Claims 8-12, 31-34, the modified combination of the Sakaki and Feddeler references inherently possess the methods of controlling electrostatic discharge during

and after discharging and charging states of a time cell in order to gain measurement of the elapsed time of the system and the corresponding charging and read operation steps needed to initialize and process the information of the apparatus. It would be obvious to a person skilled in the art at the time of the invention to recognize that because the modified combination of the Sakaki and Feddeler references form the structure of the inventive entity claimed, the methods needed to construct, charge, and read the components and data contained and produced are inherently possessed by the structure.

Regarding Claims 13-17, it would be obvious to a person skilled in the art at the time of the invention to construct a computer program to perform the method steps of Claims. It is well known in the art to build a computer program on a computer readable medium such as a floppy disk for easy insertion and data recall during use on a computer.

Regarding Claim 48, the combination of the Sakaki and Feddeler references teaches a time cell, which has the ability of a conventional RC timer to measure electrostatic discharge in order to measure elapsed time. The Sakaki/Feddeler combination does not explicitly teach an article of manufacturing comprising a smart card. It would be obvious to a person skilled in the art at the time of the invention to adapt a smart card to include a charge storage device, e.g. an RC timer device in order to to measure elapsed time of a charged storage element with a smart card in order to calculate the elapsed time memory has been stored on a smart card. Any capacitive timing device possesses

memory and means to store and read the memory and by applying this concept of measuring electrostatic discharge to calculate memory, a user may read the elapsed time a portion of memory that has been stored on the smart card and recharge or update the memory before it is erased.

2. Claims 18-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sakaki U.S. Patent No. 5,500,834 in view of Suzuki U.S. Patent No. 4,442,363. Regarding Claim 18-19, Sakaki teaches a horological device for measuring the time lapse after a turn off of a power source, wherein a capacitor is charged when power supplied to the system is turned on, wherein the capacitor is discharged when the power is disconnected, wherein the voltage of the capacitor is read (by reading/coupling means) and recorded by a processor, which then interprets and converts information appropriately when the power is turned, wherein the capacitor's value is also read and recorded when the power is turned off, wherein a corresponding time lapse is recorded. wherein inherently this teaches a time detection unit for processing a time request to generate a time response after reading the capacitor's value, thereby measuring the electrostatic charge of the capacitor, wherein the above mentioned elements combine to form claimed time cell, wherein the capacitor (Col. 1, lines 10+; Col. 2, lines 25+; Col. 3, lines 1+; Col. 4, lines 5+; FIG. 1). Sakaki does not explicitly teach the specific states or modes the capacitor experiences during the charging and discharging process. Suzuki teaches a conventional RC timer, wherein a typical RC timer experiences different states or modes, which are achieved in the timer's life in respect to charging

and discharging, wherein in a first state or mode, the timer is discharging, in a second state or mode, the timer is charging, in a third state or mode, the timer is fully charged, in a fourth state or mode, the timer is discharging, and finally, in a fifth state or mode, the timer is fully discharged (Col. 1, lines 12+). Suzuki does not teach a length of a predetermined time period varying after the charging operation. It would be obvious to a person skilled in the art to adapt the Sakaki reference to provide specific states the capacitor enters and leaves in order to better read the values associated at a given time. One skilled in the art would also recognize that any changes to an initial condition will only be visible when the charge storage element has completed the charging process and data can be acquired regarding threshold voltage versus time.

Regarding Claim 20, Suzuki teaches a conventional RC timer, wherein a typical RC timer experiences different states or modes, which are achieved during the course of operation of the timer in respect to charging and discharging, wherein in a first state or mode, the timer is completely discharged, in a second state or mode, the timer is charging, in a third state or mode, the timer is discharging (Col. 1, lines 12+).

Regarding Claim 21, Suzuki teachings inherently possess the methods of transitioning within a typical RC timer between different states or modes, which are achieved during the course of operation of the timer in respect to charging and discharging, wherein in a first state or mode, the timer is completely discharged, in a second state or mode, the timer is charging, in a third state or mode, the timer is discharging (Col. 1, lines 12+).

Art Unit: 2841

Suzuki does not explicitly teach detecting a state of the charge storage element to

Page 10

determine an elapsed time. It would be obvious to a person skilled in the art to

recognize a typical RC timer possesses a circuit used in order to detect the particular

state of the charge storage element to determine elapsed time. By possessing a circuit

enabled to read a specific state of a charge storage element, an RC timer can measure

the amount of electrostatic discharge, thereby providing means to calculate elapsed

time.

Allowable Subject Matter

1. Claims 30 and 35 are objected to as being dependent upon a rejected base

claim, but would be allowable if rewritten in independent form including all of the

limitations of the base claim and any intervening claims.

2. Claim 36-45 allowed.

Art Unit: 2841

R sponse to Arguments

1. Applicant's arguments filed March 27, 2003 have been fully considered but they are not persuasive. The Applicant's argument's regarding the difference between a floating gate field effect transistor, which is utilized in the current invention, and an insulated gate field effect transistor, which is cited in the Prior Art, is noted and persuasive, and this argument is further noted with the allowance of the Claims stated in the Allowable Subject Matter portion of the rejection. However, the remainder of the Claims that are not drawn to or having a floating gate field effect transistor continue to be rejected based on the cited Prior Art. For the foregoing reasons, Claims 1-29, 31-34, and 46-50 continue to be anticipated by the combination of the Sakaki, Feddeler, and Suzuki references. Accordingly, the Examiner's rejection over the combination under 35 U.S.C. 103(a) is upheld.

Art Unit: 2841

Further, the Applicant is warned against future Double Patenting issues between Claims, wherein the following Claims are given as an example of particularly related Claims: Claim 37 of Application No. 09/703,334, Claim 41 of Application No. 09/703,335, Claim 26 of Application 09/703,340, and Claim 46 of Application No. 09/703,344, wherein all of the Claims are drawn to a time cell that is to be read. However, more specifically, Claims 26 and 46 of the above highlighted Claims, respectively, are drawn to binary time cells, wherein Claims 37 and 41 of the above highlighted Claims, respectively, are drawn to analog time cells. The Applicant is warned that analog and binary (digital) timekeeping methods and means are interchangeable in the art.

Page 12

Application/Control Number: 09/703,344 Page 13

Art Unit: 2841

Prior Art

1. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

- Ishibashi U.S. Patent No. 5,374,904 discloses a phase-locked loop circuit having adjustable reference clock signal frequency and filter capacitance compensation.
- Ma U.S. Patent No. 6,067,244 discloses a ferroelectric dynamic random access memory, wherein an FE transistor replaces a capacitor.
- Begin U.S. Patent No. 4,995,019 discloses a time period measuring apparatus wherein time measure is achieved by utilizing a time variable interpose, which comprises components that correspond to an RC circuit.
- Curtis U.S. Patent No. 5,195,061 discloses a practice timer for measuring elapsed time during an activity comprising a variable time constant RC circuit.
- Takeda U.S. Patent No. Re. 35,043 discloses a self-charging electronic timepiece comprising a time constant RC circuit.

Conclusi n

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Michael L. Lindinger whose telephone number is (703) 305-0618. The examiner can normally be reached on Monday-Thursday (7:30-6).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Martin can be reached on (703) 308-3121. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 746-7318 for regular communications and (703) 746-7318 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Michael L. Lindinger Patent Examiner Art Unit 2841

MLL April 21, 2003

DAVID MARTIN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800